

DRY. STORE. ALL IN ONE.



Camshelving



Camshelving
ELEMENTS SERIES

- Drying Rack shelving units combine the corrosion resistance and strength of Camshelving and Elements with the convenience of easy drying.
- 7-Slot Rack securely holds trays, cutting boards, lids, baking sheet pans (full and half size) and plates 8" to 13.5" (203 to 343 mm) diameter during drying process.
- Provides convenient, sanitary storage, maximizes holding space and easy access.

CAMBRO
TRUSTED FOR GENERATIONS™




Camshelving® Drying Rack System

- Easy to install, sits on shelving traverses.
- Convert existing shelf units by removing shelf plates and replacing with drying racks.
- Drying Racks are dishwasher safe.
- Lifetime warranty against rust and corrosion on Posts and Traverses.
- Promotes safety by eliminating moisture.
- Offers an efficient, organized drying area.
- Allows sufficient air circulation [Maximum product width 1⁵/₁₆" (33 mm)]
- Mobile unit allows for easy floor clean-up and transportability.
- Fits all 24" (610 mm) Wide Camshelving®, Camshelving® Elements, Mobile or Stationary 24" to 72" (610 to 1830 mm) in length.
- Drying Rack Material: High Impact ABS.



Camshelving® Elements Drying Rack
EDRC244878PKG

Camshelving® Drying Rack
CSDRC244875PKG



Maximum Tray Depth
1.3" (33 mm)

Fits up to a total of 126 pieces on
a 72" (1830 mm) Length Unit.

Drying Rack Component



Camshelving Drying Rack System is covered by U.S. Patent D 663,912 S.

Drying Rack Carts:

CODE	DIMENSIONS	CASE LB. (CUBE)	CASE KG (CUBE M ³)
Camshelving® Drying Rack Carts – Mobile			
CSDRC244875PKG	24" x 48" x 75" (610 x 1220 x 1910 mm)	104.29 (11.09)	47,31 (0,31)
CSDRC246075PKG	24" x 60" x 75" (610 x 1530 x 1910 mm)	123.37 (11.09)	55,96 (0,31)

Color: Speckled Gray (480).

Camshelving® Elements Rack Carts – Mobile

EDRC244878PKG	24" x 48" x 78" (610 x 1220 x 1980 mm)	86.31 (11.09)	39,16 (0,31)
EDRC246078PKG	24" x 60" x 78" (610 x 1530 x 1980 mm)	98.13 (11.09)	44,51 (0,31)

Color: Brushed Graphite (580).

Package Includes: Drying Racks for three levels, six mobile traverses, two mobile post kits, premium (2 swivel, no brake, 2 swivel with brake) casters and instruction manual.

Drying Racks Only:

CODE	DIMENSIONS H x L x W	CASE PACK	CASE LB. (CUBE)	CASE KG (CUBE M ³)
CSDR7	10¼" x 23½" x 3¾" (240 x 594 x 96,52 mm)	1	3.23 (0.62)	1,47 (0,01)
CSDR73	10¼" x 23½" x 3¾" (240 x 594 x 96,52 mm)	3	8.46 (1.35)	3,85 (0,03)

Color: Soft Gray (151). Shelf Plates not Included.




Trays



Cutting Boards




Lids




Baking Sheet Pans

Chart – Drying Rack

Totals based on 3-level Shelf Units




CSDR7




24 W x 24 L
(610 x 610 mm)

Fits 14 Pieces per shelf
42 Pieces Total




24 W x 30 L
(610 x 760 mm)

Fits 14 Pieces per shelf
42 Pieces Total




24 W x 36 L
(610 x 910 mm)

Fits 21 Pieces per shelf
63 Pieces Total




24 W x 42 L
(610 x 1070 mm)

Fits 21 Pieces per shelf
63 Pieces Total




24 W x 48 L
(610 x 1220 mm)

Fits 28 Pieces per shelf
84 Pieces Total




24 W x 54 L
(610 x 1380 mm)

Fits 28 Pieces per shelf
84 Pieces Total



24 W x 60 L
(610 x 1530 mm)

Fits 35 Pieces per shelf
105 Pieces Total



24 W x 72 L
(610 x 1830 mm)

Fits 42 Pieces per shelf
126 Pieces Total