# **SAFETY DATA SHEET**

CDN PW70, CDN 200; 70% IPA / 30% DI H2O

### **Section 1. Identification**

GHS product identifier Other means of identification CDN 70% IPA / 30% DI H2O

Product code Product type

Solid.

**Identified uses** 

**Supplier's details** 

Emergency telephone number (with hours of operation)

# Section 2. Hazards identification

OSHA/HCS status	<ul> <li>This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).</li> </ul>			
Classification of the substance or mixture	FLAMMABLE SOLIDS - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3			
GHS label elements				
Hazard pictograms				
Signal word	: Danger			
Hazard statements	: H228 - Flammable solid. H319 - Causes serious eye irritation. H336 - May cause drowsiness and dizziness.			
Precautionary statements				
Prevention	<ul> <li>P280 - Wear protective gloves. Wear eye or face protection.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P261 - Avoid breathing dust.</li> <li>P264 - Wash hands thoroughly after handling.</li> </ul>			
Response	<ul> <li>P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 - If eye irritation persists: Get medical attention.</li> </ul>			
Storage	: P405 - Store locked up.			
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.			
Hazards not otherwise clas	ssified (HNOC)			
Physical hazards not otherwise classified (PHNOC)	: None known.			
Health hazards not otherwise classified (HHNOC)	: None known.			

## Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

# CAS number/other identifiers CAS number : Not applicable. Product code : Not available. Ingredient name % CAS number Isopropyl alcohol 70 67-63-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

|--|

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention. If necessary, call a poison center or physician.
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects	<u>s</u>	
Eye contact	÷	Causes serious eye irritation.
Inhalation	1	Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness.
Skin contact	÷	No known significant effects or critical hazards.
Ingestion	÷	Can cause central nervous system (CNS) depression.
Over-exposure signs/sympto	om	<u>IS</u>
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	-	Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
Skin contact	÷	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Indication of immediate medic	<u>ca</u>	attention and special treatment needed, if necessary
Notes to physician	1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	1	No specific treatment.

# Section 4. First aid measures

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet or water-based fire extinguishers.
Specific hazards arising from the chemical	: Flammable solid.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures For non-emergency : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from personnel entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in For emergency responders : Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel". **Environmental precautions** : Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Methods and materials for containment and cleaning up

# Spill : Place spilled material in designated, labelled waste container. Dispose via a licensed waste disposal contractor.

# Section 7. Handling and storage

Precautions for safe handling

# Section 7. Handling and storage

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **United States**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Isopropyl alcohol	ACGIH TLV (United States, 3/2015).           STEL: 400 ppm 15 minutes.           TWA: 200 ppm 8 hours.           NIOSH REL (United States, 10/2013).           STEL: 1225 mg/m³ 15 minutes.           STEL: 500 ppm 15 minutes.           TWA: 980 mg/m³ 10 hours.           TWA: 400 ppm 10 hours.           OSHA PEL (United States, 2/2013).           TWA: 980 mg/m³ 8 hours.           TWA: 900 ppm 8 hours.           TWA: 900 ppm 8 hours.
	TWA: 400 ppm 8 hours. TWA: 980 mg/m <sup>3</sup> 8 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m <sup>3</sup> 15 minutes.

#### <u>Canada</u>

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
	US ACGIH 3/2015 AB 4/2009 BC 2/2015 ON 7/2015 QC 1/2014	200 200 200 200 400	- 492 - - 983	- - -	400 400 400 400 500	- 984 - - 1230	- - -	- - - -	- - - -	- - - -	

#### <u>Mexico</u>

# Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Isopropyl alcohol	NOM-010-STPS (Mexico, 9/2000). LMPE-CT: 1225 mg/m <sup>3</sup> 15 minutes. LMPE-CT: 500 ppm 15 minutes. LMPE-PPT: 980 mg/m <sup>3</sup> 8 hours. LMPE-PPT: 400 ppm 8 hours.

Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measured	<u>ures</u>	
Hygiene measures	1	Wash hands, forearms and face thoroughly after handling chemical products, before
		eating, smoking and using the lavatory and at the end of the working period. Ensure
		that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Recommended: Safety glasses.

Skin protection

ومعرب والأو والمورين الورياواريالو

- Hand protection
   Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.
- **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- **Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Recommended: Vapor respirator.

# Section 9. Physical and chemical properties

: Solid. [Solid containing liquid (prewetted wiper)]
: White substrate with colorless liquid.
: Rubbing alcohol.
: Not available.
: Not available.

# Section 9. Physical and chemical properties

Melting point	available.	
Boiling point	available.	
Flash point	sed cup: 20°C (68°F)	
Evaporation rate	available.	
Flammability (solid, gas)	hly flammable in the presence of the following materials or condition rks and static discharge and shocks and mechanical impacts.	ons: open flames,
Lower and upper explosive (flammable) limits	ver: 2% ber: 12.7%	
Vapor pressure	available.	
Vapor density	available.	
Relative density	available.	
Solubility in water	pluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	available.	
Auto-ignition temperature	)°C (750.2°F)	
Decomposition temperature	available.	
Viscosity	available.	
1		

# Section 10. Stability and reactivity

Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Incompatible materials	: Highly reactive or incompatible with the following materials: oxidizing materials.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Isopropyl alcohol	LD50 Dermal LD50 Oral		12800 mg/kg 5000 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Isopropyl alcohol	Eyes - Severe irritant Skin - Mild irritant Eyes - Moderate irritant Eyes - Moderate irritant	Rabbit Rabbit Rabbit Rabbit	- - -	100 mg 500 mg 24 hours 100 mg 10 mg	

#### **Sensitization**

# Section 11. Toxicological information

#### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Isopropyl alcohol	None.	3	-	A4	-	-

#### **Reproductive toxicity**

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Isopropyl alcohol	Category 3	Not applicable.	Narcotic effects

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### **Aspiration hazard**

There is no data available.

Information on the likely	: Dermal contact. Eye contact. Inhalation	Ingestion.
---------------------------	---	------------

#### routes of exposure Potential acute health effects

i otentiai acute nealtii enects		
Eye contact	1	Causes serious eye irritation.
Inhalation	1	Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness.
Skin contact	1	No known significant effects or critical hazards.
Ingestion	÷	Can cause central nervous system (CNS) depression.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### <u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> <u>Short term exposure</u>

# Section 11. Toxicological information

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health effe	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Oral	7692.3 mg/kg

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
	Acute LC50 1400000 to 1950000 µg/L Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200 mg/L Fresh water	Fish - Rasbora heteromorpha	96 hours

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Isopropyl alcohol	0.05	-	low
Mobility in soil Soil/water partition coefficient (K <sub>oc</sub> )	: No data available.		

#### **Other adverse effects** : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues.

## Section 14. Transport information

	DOT	TDG / NOM-003-SCT	IMDG	IATA
UN number	UN3175	UN3175	UN3175	UN3175
UN proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol)
Transport hazard class(es)	4.1	4.1	4.1	4.1
Packing group	н	11	11	П
Environmental hazards	No.	No.	No.	No.
Additional information		Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.20-2.22 (Class 4).	-	-

**AERG** : 133

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed

## Section 15. Regulatory information

(Precursor Chemicals)		
DEA List II Chemicals	:	Not listed
(Essential Chemicals)		

#### SARA 302/304

**Composition/information on ingredients** 

#### No products were found.

SARA 304 RQ

DEA List I Chemicals

#### : Not applicable.

: Not listed

#### SARA 311/312

Classification

..

tion : Fire hazard

Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
Isopropyl alcohol	70	Yes.	No.	No.	Yes.	No.

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Isopropyl alcohol	67-63-0	70
Supplier notification	Isopropyl alcohol	67-63-0	70

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts

The following components are listed: Isopropyl alcoholNone of the components are listed.

New York New Jersey

- : The following components are listed: Isopropyl alcohol
- : The following components are listed: Isopropyl alcohol

# Pennsylvania

California Prop. 65

No products were found.

#### <u>Canada</u>

<u>Canadian lists</u> Canadian NPRI CEPA Toxic substances Canada inventory

- : The following components are listed: Isopropyl alcohol
- : None of the components are listed.
- : All components are listed or exempted.

# Section 16. Other information

#### History

Date of issue mm/dd/yyyy	: 10/15/2015
Date of previous issue	: 05/15/2015
Version	: 2.1
Prepared by	: KMK Regulatory Services Inc.
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.