VERSA FOOD SERVICE SYSTEM

Customization Comes Standard

- Countless configurations to fit any food service need
- Fully-portable and non-electric system keeps food cold for hours without ice with the use of ColdFest[®] crocks and pans or Buffet Camchillers[®]
- Easy care and unmatched durability
- All components are fully compliant with NSF requirements





www.cambro.com



What's Kourk

The Versa Food Service System provides custom designs without the custom price. This stylish, non-electric, completely portable systems goes anywhere and keeps food cold with either ColdFest® pans and crocks or Buffet Camchillers®. Whether it's space considerations, frequent menu changes or merchandising requirements, the Versa Food Service System offers unequalled versatility.

Build-A-Bar

- Use the Straight or Corner Connector to connect Versa Food Bars[®], Work Tables and Carts to create a professional, uniform look.
- Connect two Versa Food Bars for an upscale salad bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Join a Cart with a Food Bar to create a faster check-out line and improved traffic flow.
- Connect the Cart to a Work Table to create a snack and beverage station or a secondary foodservice line for pre-packaged meals.
- Maximize space by connecting two Food Bars with the Corner Connector.

Versa Food Service System components offer countless configurations!

Versa Food Bar 5 or 6 Feet (152 or 183 cm)

The non-electric mobile food bar has sneeze guards and optional tray rails that knock down and allow for easy cleaning, set-up and storage. Add an end table to hold trays or plates. Drain faucet can be connected to a hose for drainage and easy cleaning.



Versa Food Bar and Versa WorkTable *Ultra Series*

Now available with two secure storage compartments that can each hold up to 50 lbs (22,6 Kg) of non perishable items. The *Ultra Series* is only available in standard height. Storage Dimensions: 18" H x $17^{1}/_{2}"$ W x $21^{1}/_{2}"$ D per compartment. Each compartment is 3.92 cu. ft. (0,11 M³).





Get Sample Bar Set-Ups, Themes and More Resources at www.cambro.com/schools

Preferred Salad Bar of:

- United Fresh Produce Association's A Salad Bar in Every School™.
- Let's Move Salad Bars to Schools Campaign.


Versa Work Table 5 or 6 Feet (152 or 183 cm)

The multipurpose Work Table is perfect as a prep table, display station, serving station or back bar. Use with or without removable well covers.



Versa Corner Connector

Maximize space and merchandising options. Use to connect multiple Versa Food Bars, Versa Work Tables or a combination.



Functionality Featured


Versa Food Bar® Lighting Package


Enhance your foodservice presentation with the LED lighting accessory. The light uses a 12 volt long-lasting battery, that charges with an universal charger.



Buffet Camchillers®

Extend safe, cold holding time without ice for up to 4 hours. Dualsided Buffet Camchillers hold 2½" (6,5 cm) and 4" (10 cm) pans. Buffet Camchillers fit perfectly in the Versa Food Bar and Versa Work Table.





4" (10 cm)

Versa Cart and Versa Cart Keyboard Tray

Join a Cart with a Food Bar or Work Table for fast check-out and improved traffic flow. The Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access thru the top of the cart and front design panel. Optional tray rails easily adjust to a lower height. Optional pull-out keyboard tray fits inside the drawer.



Versa Straight Connector

Easily and safely attach multiple components together to create a contiguous system. Use to connect multiple Versa Food Bars, Versa Work Tables or a combination.



Portability Redefined

- One person can set-up or knock-down the sneeze guards and tray rails for transport or storage in only 30 seconds!
- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Easily fits through a standard 36" (91,5 cm) doorway with the sneeze guards and optional tray rails knocked down.
- The optional heavy-duty 6" x 2" (15 x 5 cm) casters enhance mobility and durability.

 $44 \ensuremath{\frac{1}{2}}\xspace^{-1}$ (114 cm) Wide including optional tray rails.



 $32 \ensuremath{\frac{1}{2}}$ (83 cm) Wide including optional tray rails knocked down.



62 ¾" (159,4 cm) High

Standard height model.

The Versa Food Service System

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W* x H	FULL PAN SIZE Capacity	WELL INTERIOR DIMENSIONS L x W x H	CASE LBS. (CUBE)
Versa Food B	Bars - Standard Height				
VBR5	5' with Standard Casters	69" x 42½" x 62¾"	4	52½²" x 21" x 7½" (132,8 x 53,3 x 18 cm)	184 (39.12)
VBRHD5	5' with Heavy Duty Casters	(175,3 x 108 x 159,4 cm)			194.9 (39.12)
VBR6	6' with Standard Casters	82" x 42½" x 62¾"	5	65½" x 21" x 7½"	219 (45.97)
VBRHD6	6' with Heavy Duty Casters	(208,3 x 108 x 159,4 cm)	C	(165,4 x 53,3 x 18 cm)	229.5 (45.97)
Versa Food B	Bars - <i>Ultra Series -</i> Standard Height Only				
VBRU5	5' with Standard Casters and Storage	69" x 42 ¹ / ₂ " x 62 ³ / ₄ "		52⅔²" x 21" x 7½" (132,8 x 53,3 x 18 cm)	260 (58.5)
VBRUHD5	5' with Heavy Duty Casters and Storage	(175,3 x 108 x 159,4 cm)	4		269 (58.5)
VBRU6	6' with Standard Casters and Storage	82" x 42½" x 62¾"		65⅓" x 21" x 7½" (165,4 x 53,3 x 18 cm)	274 (75)
VBRUHD6	6' with Heavy Duty Casters and Storage	(208,3 x 108 x 159,4 cm)	5		283.5 (75)
Versa Food B	Bars - Low Height				
VBRL5	5' with Standard Casters	69" x 42½" x 55¾"		52¾²" x 21" x 7⅛" (132,8 x 53,3 x 18 cm)	175 (39.12)
VBRLHD5	5' with Heavy Duty Casters	(175,3 x 108 x 141,6 cm)	4		181.9 (39.12)
VBRL6	6' with Standard Casters	82" x 42½" x 55¾"	5	65¼" x 21" x 7½" (165,4 x 53,3 x 18 cm)	202.5 (45.97)
VBRLHD6	6' with Heavy Duty Casters	(208,3 x 108 x 141,6 cm)			213 (45.97)
Versa Work 1	Fables - Standard Height				
VBRT5	5' with Standard Casters	69" x 27" x 36¼"	4	52½²" x 21" x 7½" (132,8 x 53,3 x 18 cm)	125 (24.03)
VBRTHD5	5' with Heavy Duty Casters	(175,3 x 68,6 x 92 cm)			135.5 (24.03)
VBRT6	6' with Standard Casters	82" x 27" x 36¼"		65¼" x 21" x 7½" (165,4 x 53,3 x 18 cm)	142.5 (28.24)
VBRTHD6	6' with Heavy Duty Casters	(208,3 x 68,6 x 92 cm)	5		153 (28.24)
Versa Work 1	Fable - <i>Ultra Series -</i> Standard Height Only				
VBRUT5	5' with Standard Casters and Storage	69" x 27" x 36¼"	4	52 ⁹ / ₃₂ " x 21" x 7 ¹ / ₈ "	181.5 (47.65)
VBRUTHD5	5' with Heavy Duty Casters and Storage	(175,3 x 68,6 x 92 cm)	4	(132,8 x 53,3 x 18 cm)	190.5 (47.65)
VBRUT6	6' with Standard Casters and Storage	82" x 27" x 36¼"	F	65¼" x 21" x 7½" (165,4 x 53,3 x 18 cm)	195.5 (55.96)
VBRUTHD6	6' with Heavy Duty Casters and Storage	(208,3 x 68,6 x 92 cm)	5		204.5 (55.96)
Versa Work 1	Fables - Low Height				
VBRTL5	5' with Standard Casters	69" x 27" x 29¼"	4	52½" x 21" x 7½" (132,8 x 53,3 x 18 cm)	112 (24.03)
VBRTLHD5	5' with Heavy Duty Casters	(175,3 x 68,6 x 74,3 cm)	4		122.5 (24.03)
VBRTL6	6' with Standard Casters	82" x 27" x 29¼"	r	65½" x 21" x 7½" (165,4 x 53,3 x 18 cm)	129.5 (28.24)
VBRTLHD6	6' with Heavy Duty Casters	(208,3 x 68,6 x 74,3 cm)	5		140 (28.24)
Case Pack: 1	Items shown highlighted in gray are in stock.	*Width does not include optional tray ra	ils.		

Case Pack: 1 Items shown highlighted in gray are in stock. *Width does not include optional tray rails.



CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS W x D x H	CASE LBS. (CUBE)
Versa Cart			
VCSWR	With Dual Tray Rails and Standard Casters	$52^{3}\!\!/_{4}$ x 32" x 43" (134 x 81,3 x 109,2 cm) (With Tray Rails Up)	127 (37.28)
VCSWRHD	With Dual Tray Rails and Heavy Duty Casters	52¾" x 32" x 43¾" (134 x 81,3 x 111,1 cm) (With Tray Rails Up)	138.4 (37.28)
VCS	With Standard Casters and no Tray Rails	32¼" x 32" x 43" (81,9 x 81,3 x 109,2 cm)	117.5 (37.28)
VCSHD	With Heavy Duty Casters and no Tray Rails	32¼" x 32" x 43¾" (81,9 x 81,3 x 111,1 cm)	128.8 (37.28)
Tray Rails			
VBRR5	Tray Rail for 5' - Versa Food Bar / Work Table	53" x 11½" x 4¾16" (134,6 x 29,2 x 11,6 cm)	12.66 (1.81)
VBRR6	Tray Rail for 6' - Versa Food Bar / Work Table	66" x 11½" x 4¾ ⁶ (167,6 x 29,2 x 11,6 cm)	15.57 (2.31)
VCS32R	Tray Rail for - Versa Cart	28" x 11 ¹¹ / ₁₆ " x 5" (71 x 29,7 x 12,7 cm)	8.06 (1.10)
End Table			
VBRTBL	End Table For Versa Bars and Versa Tables	27" x 22" x 4½" (68,6 x 55,9 x 11,4 cm)	10.00 (1.05)
Connectors			
VBRC	Straight Connector - Food Bar to Food Bar	27" x 19" x 4¼" (68,6 x 48,3 x 10,8 cm)	10.58 (1.46)
VBRC90	Corner Connector - Food Bar to Food Bar	36" x 36" x 4¼" (91,4 x 91,4 x 10,8 cm)	21.26 (3.66)
VCS32CNT	Straight Connector - Cart to Standard Height Food Bar / Work Table	27" x 20¾" x 3¼" (68,6 x 51,8 x 8,3 cm)	10.75 (1.20)
VCSCNL	Straight Connector - Cart to Low Height Food Bar / Work Table	27" x 20¾" x 8½" (68,6 x 51,8 x 21,6 cm)	14.62 (2.56)
0 D I I II			

Case Pack: 1 Items shown highlighted in gray are in stock.



The Versa Food Service System

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	CASE LBS. (CUBE)
Vinyl Covers			
VBRCVR5*	Versa Cover for 5' (152 cm) Bar	73" x 43½" x 46" (185,4 x 110,5 x 117 cm)	8 (0.25)
VBRCVR6*	Versa Cover for 6' (183 cm) Bar	83" x 43½" x 46" (211 x 110,5 x 117 cm)	9 (0.25)
VBRTCVR5*	Versa Cover for 5' (152 cm) Table	70" x 33½" x 21" (178 x 85,1 x 53,3 cm)	4 (0.25)
VBRTCVR6*	Versa Cover for 6' (183 cm) Table	83" x 33½" x 21" (211 x 85,1 x 53,3 cm)	5 (0.25)
VCSCVR*	Versa Cover for Cart	42" x 33" x 36" (106,7 x 84 x 91,4)	3.5 (0.25)
0 1 0 (000			

Color: Opaque (000). Case Pack: 1

Merchandising

VBRSHTS*	Versa Food Bar® Sign Holder	36" x 6" x 9¼" (91,4 x 15,2 x 23,5 cm)	9 (3.34)
Color: Clear (152). C	Case Pack: 1		

Other Accessories

CPB1220	Buffet Camchiller®	18½" x 125%" x 4" (47 x 32 x 10,2 cm)	10.82 (0.62)
VBRWC	Versa Well Cover	201/8" x 13" x 2" (53 x 33 x 5 cm)	3.72 (0.39)
VCS32KEYT	Versa Cart Keyboard Tray	20%" x 101%" x 2" (52,4 x 25,7 x 5 cm)	2.64 (0.39)
LED54LIGHTPKG*	LED Light Strip 54" Long with brackets, battery and wall charger	54" L (137 cm)	2.86 (0.57)

Buffet Camchiller Color: Cold Blue (159). Well Cover Colors: Black (110), Bronze (146), Hot Red (158), Navy Blue (186), Kentucky Green (519). Keyboard Tray Color: Black (110). Case Pack: 1 * These items are not NSF listed. Items shown highlighted in gray are in stock.





For more information about Cambro products, contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.



Divider Bars and Crock and Salad Bowl Holders

To customize your Versa Food Bar and Work Table use Cambro Divider Bars or Crock and Salad Bowl Holders.



Coldfest® Gastronorm Pans Hold cold food at safe temperatures without ice for 4 hours or more.



Camwear® Food Pans Store, transport and serve all in one pan. Virtually unbreakable, crystal clear polycarbonate keeps contents as cold as metal pans with less condensation.



 Telephone:
 (714)
 848-1555
 Toll Free:
 (800)
 854-7631
 FAX:
 (714)
 842-4375
 Customer Service:
 (800)
 833-3003.

 ©Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 LIT1428
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801
 Skylab Road, Huntington Beach, CA 92647.
 Image: Cambro Manufacturing Company 5801

