Versatile, PC-Connectable

Label Maker

With Color Display And Carrying Case













The PT-D600VP is a kit that includes the PT-D600, an AC adapter, USB cable, carry case and starter tape. With its full-color display, the PT-D600 enables users to preview the label, including the tape color installed. Simply connect it to your Windows® or Mac® computer to create professional-looking labels using P-touch Editor label design software, or use it on its own. Its super-fast print speeds and automatic tape cutter support high-volume labeling tasks. Capable of printing on TZe tapes up to 24mm wide, it's ideal for a variety of label usages requiring durable labels that withstand water, heat, and fading.



Key Features at a Glance:

- Full-color display offers a true WYSIWYG experience
- Use stand-alone, or connected to a PC or Mac for added design capabilities
- High-resolution output, for crisp graphic and logo printing[^]
- Super-fast printing with auto cutter for high-volume jobs
- Create labels with up to 7 lines of text and graphics

Carton Contents*

- Personalize with hundreds of built-in symbols, frames, and barcodes
- Built-in templates and 99 label memory help save time with reprinting
- Uses durable, laminated labels for indoor or outdoor use
- 2-year limited warranty and free phone support for the life of the product

Hardware Features:	
Display	Full color with backlight
Display Size	20 characters x 3 lines
Maximim Tape Width	24mm
Built-in Memory	Up to 99 labels
Keyboard	QWERTY
Tape Cutter	Automatic
Maximum Print Speed	30mm/sec.¥
Maximum Print Resolution	180 dpi (Max. 180 x 360 dpi^)
Maximum Print Height	18.0mm
Power Source	6 x AA Batteries (optional) AC Power Adapter (included)
Auto Power Off	Yes
Interface	USB
ENERGY STAR® Qualified	Yes

Logistics Informa	tion:	
UPC Code	012502639428	
Unit Dimensions	7.9" x 7.6" x 3.4"	
Unit Weight	2.1 lbs.	
Carton Dimensions	14.0" x 5.8" x 13.0"	

Accessories*:	
AD-E001	AC Power Adapter (included)
CC-D600	Carry Case (included)
See next pa	ge for a detailed list of compatible tapes.*

- Additional purchase required.
- Δ When operating in stand alone mode. ¥ Using AC adapter
- \pm Using P-touch Editor 5.1 software, P-touch Editor software/drivers for Windows/Mac available as a free download at www.brother.com/inst/
- Windows only
- P-touch Editor software/drivers for Windows/Mac available as a free download at www.brother.com/inst/

Images are for illustrative purposes only. Actual output (such as font and margins) may vary. All trademarks referenced herein are the property of their respective companies. All specifications subject to change without notice.











Software Features:	
Number of Fonts	14 ^a / TrueType [±]
Types of Fonts	Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, Germany, LetterGothic
Number of Font Styles	11 ^a / TrueType [±]
Number of Font Sizes	8 [∆] / Scalable [±]
Maximum Print Lines	7 [∆] / Variable [±]
Built-in Symbols	617 [∆] / TrueType [±]
Built-in Frames	99 ^Δ / 126 [±]
Auto Numbering	1-99, A-Z, a-z ^a , 1-5,000, A-Z, a-z [±]
Repeat Printing	Up to 99 copies [∆] , up to 5,000 copies [±]
Vertical Printing	Yes
Mirror Printing	Yes
Auto Formats	Yes
Built-in Label Templates	Yes - Label Collection
Barcode Printing	9 kinds (CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128(UCC/EAN128), CODE128)
Supports Database Printing	Yes⁴
Number of Languages Supported	20
Operating Systems Compatibility*	Windows Vista, Windows 7, Windows 8/8.1 Mac OS X v.10.7.5, 10.8.x, 10.9.x, 10.10.x.

Carton Contents !	
PT-D600 Label Printer	
Black on White Standard Laminated TZe Starter Tape 0.94" (24mm) x 13.1' (4m)	
AC Power Adapter	
Carry Case	
USB Cable	
User's Guide	



There are a variety of tapes for the PT-D600 (included in the PT-D600VP kit). Brother TZe standard laminated tapes are great for your everyday home, home office, and general business labeling needs. These tapes feature our standard adhesive, which is designed for flat surfaces like paper, file folders, and binders, and also most even non-textured metal, plastic, and glass surfaces. They withstand water, grease, fading, and abrasion, and can be used in hot and cold environments, as well as outdoors. There are also a variety of TZe speciality tapes available for this machine, listed below.

TZe Standard Laminated Tapes - 8m long								
6mm	9mm	12mm	18mm	24mm				
TZe211	TZe221	TZe231	TZe241	TZe251				
TZe111	TZe121	TZe131	TZe141	TZe151				
	TZe421		TZe441	TZe451				
		TZe631	TZe641	TZe651				
			TZe741					
			TZe541					
			TZeB41*	TZeB51*				
TZe315	TZe325	TZe335	TZe345	TZe355				
		TZe135	TZe145					
			TZe545					
		TZe232	TZe242	TZe252				
			TZe243					
		TZe334	TZe344	TZe354				
	6mm TZe211 TZe111	6mm 9mm TZe211 TZe221 TZe111 TZe121 TZe421	6mm 9mm 12mm TZe211 TZe221 TZe231 TZe111 TZe121 TZe131 TZe421 TZe631 TZe315 TZe325 TZe335 TZe135 TZe232	6mm 9mm 12mm 18mm TZe211 TZe221 TZe231 TZe241 TZe111 TZe121 TZe131 TZe141 TZe421 TZe441 TZe631 TZe641 TZe741 TZe541 TZe541 TZe841* TZe845 TZe135 TZe145 TZe545 TZe232 TZe242				

T.	TZe Extra Strength Adhesive Laminated Tapes - 8m long							
		6mm	9mm	12mm	18mm	24mm		
	BLACK ON WHITE	TZeS211	TZeS221	TZeS231	TZeS241	TZeS251		
	BLACK ON CLEAR		TZeS121	TZeS131	TZeS141	TZeS151		
	BLACK ON YELLOW		TZeS621	TZeS631	TZeS641	TZeS651		
	WHITE ON CLEAR			TZeS135				
	BLACK ON MATTE SILVER				TZeS941	TZeS951		

	TZe Simply Stylish Tapes - 5m long							
	6mm 9mm 12mm 18mm 24mm							
WHITE ON LIME GREEN			TZeMQG35					
WHITE ON BERRY PINK			TZeMQP35					
WHITE ON SATIN GOLD			TZeMQ835					
GOLD ON SATIN SILVER			TZeMQ934					

	TZe Specialty Tapes - 8m long						
	3.5mm	6mm	9mm	12mm	18mm	24mm	
Sy Many Say	Scrapbook / Photo Safe Laminated Acid-Free Adhesive TZe Tapes Acid-free adhesive laminated tapes, safe for photo-labeling scrapbooking and other photo-sensitive materials						
BLACK ON CLEAR	Scrapboo	King and C	iller priot	TZeAF131	materials		
BLACK ON WHITE				TZeAF231			
The same of the sa	Flexible ta		labeling s	olutions foing and au			
BLACK ON WHITE				TZeFX231	TZeFX241	TZeFX25	
BLACK ON YELLOW				TZeFX631		TZeFX65	
ONNEL DIV.	94 - 9 300	Eviden vidence of	30 •0 00	g when rer	noved		
BLACK ON WHITE					TZeSE4		
		inted on c		minated can be adl		ironing	
NAVY BLUE ON WHITE				TZeFA3			
	Super-N	Varrow I	Non-La	minated	Tane		

Super-Narrow Non-Laminated Tape

Non-laminated, perfect for labeling CD case spines and other narrow spaces

TZeN201 **BLACK ON WHITE**

Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

3m long





