

Project:

Item Number:

Quantity:

SERVEWELL[®] SL HOT FOOD TABLE



ServeWell[®] SL 3-Well Hot Food Table

DESCRIPTION

ServeWell[®] SL hot food tables are streamlined versions of the original, providing incredible value, with the rugged performance you've grown to expect. We build each ServeWell[®] SL unit with heavy-gauge stainless steel, and engineer the body, legs, and base for strength and durability. The complete line of ServeWell[®] food tables is designed to eliminate the frustrations you have had with traditional food service units.

Vollrath offers the first truly innovative design in value-priced mobile serving equipment. The heart of this revolutionary line is the Hot Food Table, available in 3, 4, and 5 well configurations.

Each well will accept full-size or fractional pans to 6" (15.24 cm) deep, and can be used with standard adaptor plates and insets for serving flexibility.

FEATURES

- □ Thermoset Fiber-Reinforced Resin Wells self-insulating and maximum energy efficiency. Will not rust or pit. Clean easily by wiping off water deposits from the non-metallic surface.
- □ Thermostatic Heat Controls automatically adjust for water temperature and food volume changes to reduce food waste.
- □ Capillary Tube Thermostats control supply power only when needed for maximum power efficiency.
- □ Low-water Indicator Light eliminates guesswork.
- □ Dome Heating Elements use up to 25% less energy and concentrate energy into the wells. Non-stick surface prevents scale build-up for easy cleaning and longer operating life.
- □ Wells Wide no-drip lips on wells keep top surface dry. Equipped with individual brass drain valves.
- Recommend using up to 4" (10.2 cm) deep food pans standard and fractional sizes.
- □ 6¼" (15.875 cm) wide x 3/8" (9.5 mm) thick polyethylene NSF-approved cutting board optional.
- Mechanical guards on all controls and power switch for safety and reliability.
- 10ft. (3 meters) power cord bottom-mounted to stay out of the way.
- □ Standard adjustable stationary legs or optional caster set.
- □ Shipped knocked down.
- 38203 plugs into standard 15A household or commercial receptacle (no special wiring required).

Agency Certifications





The Vollrath Company, L.L.C. 1236 North 18th Street Sheboygan, WI 53081-3201 U.S.A. Main Tel: 800.628-0830 Service Tel: 800.628.0832 FAX: 800.752.5620

MODELS

	Model	Description	Model	Description							
	38203	480W/120V 3 Well	38215	700W/120V 5 Well							
	38204	480W/120V 4 Well	38217	600-800W/208-240V 3 Well							
	38205	480W/120V 5 Well	38218	600-800W/208-240V 4 Well							
	38213	700W/120V 3 Well	38219	600-800W/208-240V 5 Well							
	38214	700W/120V 4 Well									

PERFORMANCE CRITERIA

ServeWell[®] SL Hot Food Tables are designed to hold heated prepared foods at temperatures above the HACCP "danger zone" of 140° F (60° C). The performance standard is measured using the NSF mixture preheated to 165° F (73.9° C). The electric unit will hold the temperature of this product above 150° F (65.6° C). The temperature will be maintained when the food product and inset are used with a standard inset cover, the proper water level is maintained in the well, and the food product is stirred regularly.

ACCESSORIES

Work/Overshelf w/o Acrylic Panel Double-Deck Overshelf

 Item
 Length x Height

 38043
 46" x 13" (117 cm x 33 cm)

 38044
 60¾" x 13" (154 cm x 33 cm)

 38045
 75½" x 13" (192 cm x 33 cm)

Single Deck Cafeteria Guard



 Item
 Length x Height

 38053
 46" x 13" (117 cm x 33 cm)

 38054
 60¾" x 13" (154 cm x 33 cm)

 38055
 75½" x 13" (192 cm x 33 cm)

w/o Acrylic Panel (Not pictured) Item Length x Width x Height 38033 46" x 10" x 26" (117 cm x 25.4 cm x 66 cm) 38034 6034" x 10" x 26"

(154 cm x 25.4 cm x 66 cm) 38035 75½" x 10" x 26"

(191 cm x 25.4 cm x 66 cm)

Buffet Breath Guards*

For units only with 4 guide

* For units only with 4 guide holes per side. **Item Length x Width**

Customer Side Plate Rest

Cutting Board

 Item
 Length x Width
 Item
 Length x Width

 2342901
 46½" x 6¼" (118.1 x 15.875 cm)
 38093
 42½" x 8" (107.95 x 20.32 cm)

 2343101
 61¼" x 6¼" (155.6 x 15.875 cm)
 38094
 57½" x 8" (146.05 x 20.32 cm)

 2343201
 76" x 6¼" (193 x 15.875 cm)
 38095
 72" x 8" (182.88 x 20.32 cm)

Caster Set

 Item
 Description

 38099
 4" (10.2 cm)

4" (10.2 cm) swivel wheels, two with brakes

Approvals

Date:


Vollrath of Canada, Co. Tel: 800.695.8560 FAX: 800.752.5620

The Vollrath Company, L.L.C

SERVEWELL[®] SL HOT FOOD TABLE

DIMENSIONS

- Overall Dimensions:
- Dimensions shown in inches (cm).



SPECIFICATIONS

SPEU		Receptacle Configurations								
			Volts Single						120V	208-240V
Item	Description	Dimensions: IN(CM)	Phase Only	Watts Per Well	Watts Total	Electrical Service (A)	Amps	Plug		ŪG
700W/	120V									
38213	3-well	46½ x 29½ x 34 (118.1 x 74.9 x 86)	120V	700	2100	30	17.5	5-30P	5-15R	6-15R
38214	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	120V	700	2800	30	23.3	5-30P		0 1011
38215	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	120V	700	3500	50	29.2	5-50P		
480W/	120V		UG							
38203	3-well	46½ x 29½ x 34 (118.1 x 74.9 x 86)	120V	480	1440	15	12	5-15P	5-20R	(- ŀ)
38204	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	120V	480	1920	20	16	5-20P		6-20R
38205	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	120V	480	2400	30	20	5-30P		0-2011
600-80	10W/208-24		(0 5w)	\bigcirc						
38217	3-well	46½ x 29½ x 34 (118.1 x 74.9 x 86)	208-240V	600-800	1800-2400	15	10	6-15P		
38218	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	208-240V	600-800	2400-3200	20	13.3	6-20P	5 000	()
38219	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	208-240V	600-800	3000-4000	30	16.7	6-30P	5-30R	
Notes:	Dedicate	□G	0.000							
ServeWell [®] Hot Food Table orders cannot be cancelled or returned.										6-30R
									\searrow	
									5-50R	

Setting the Standard The Vollrath Company, L.L.C. 1236 North 18th Street Sheboygan, WI 53081-3201 U.S.A. Main Tel: 800.628-0830 Service Tel: 800.628.0832 FAX: 800.752.5620 Vollrath of Canada, Co. Tel: 800.695.8560 FAX: 800.752.5620

www.vollrathco.com

©2009 The Vollrath Company L.L.C Form Number L35721 Rev. 10/09 Printed in USA