## EUROPAEUS \* Specifications Urban Collection



Code	TCN9212
Description	1/2 Size Concrete Effect Slab
Anti-Slip Feet	Yes
Measurements	12¾ x 10½ x ¾ in
Material	100% Melamine

Inner Carton Qty	6
Outer Carton Qty	24



Code	TCN9213
Description	1/3 Size Concrete Effect Slab
Anti-Slip Feet	Yes
Measurements	10½ x 6½ x ¾ in
Material	100% Melamine

Inner Carton Qty	6
Outer Carton Qty	24



Code	TCN9214
Description	1/4 Size Concrete Effect Slab
Anti-Slip Feet	Yes
Measurements	12¾ x 7 x ¾ in
Material	100% Melamine

Inner Carton Qty	6
Outer Carton Qty	36

Usage	Ambient
Temperatures	Food Temp 0°F – 248°F. Not Suitable for direct heat.
Washing Instructions	Handwash recommended. Dishwasher safe*.









Design in UK



100% Melamine



Direct Heat



<sup>\*</sup> We recommend hand washing your products to ensure they remain in the best condition throughout their lifespan. When using a dishwasher, wash at a temperature of 70°C or less and avoid the use of chlorine based detergents or bleach. For best results, please consult your chemical specialist for a proper solution made specifically for use on melamine.

## EUROPAEUS \* Specifications Urban Collection



Code	TCN9260
Description	Medium Concrete Bowl
Anti-Slip Feet	No
Measurements	9¾ x 9¾ x 4¼ in (2 qt.)
Material	100% Melamine

Inner Carton Qty	12
Outer Carton Qty	24



Code	TCN9261
Description	Large Concrete Bowl
Anti-Slip Feet	No
Measurements	11 x 11 x 4¾ in (3¾ qt.)
Material	100% Melamine

Inner Carton Qty	6
Outer Carton Qty	12

Usage	Ambient
Temperatures	Food Temp 0°F – 248°F. Not Suitable for direct heat.
Washing Instructions	Handwash recommended. Dishwasher safe*.









Design in UK



100% Melamine



Direct Heat



<sup>\*</sup> We recommend hand washing your products to ensure they remain in the best condition throughout their lifespan. When using a dishwasher, wash at a temperature of 70°C or less and avoid the use of chlorine based detergents or bleach. For best results, please consult your chemical specialist for a proper solution made specifically for use on melamine.