

CAMBRO VENDING CART



The Next Generation of Mobile Food Vending

Safety-First design



- Wide Variety of Configurations to provide day-to-day menu flexibility.
- Eye-Catching Graphic Options to suit any operation.
- Designed for both Indoor and Outdoor usage.
- Durable Polyethylene Construction.



www.cambro.com

Designed for Optimal Serving Versatility

OPTIONAL MERCHANDISING DISPLAY
6" or 12" easily attach to the safety barrier and can be added to the left or right side. Additional 6" or 12" merchandising shelves can be added using merchandising extender kits.



12" SAFETY BARRIER for easy serving at a distance. Clear sneeze guard to ensure protection against contamination, can be removed for pass through.

L 75"

OPTIONAL
Point of sale (POS) station ready.

H 53⁷/₈"

OPTIONAL LEFT AND RIGHT END TABLE to give extra room when needed. Easy to add and remove. W 16" x L 32.3"

H 37³/₁₆"

SWIVEL CASTERS can be quickly converted to rigid for long distance transport.

36" door required with 33⁵/₈" opening.

W 33¹/₂"

STANDARD OR CUSTOM WRAP to personalize your Cambro vending cart.

6" x 2" SWIVEL CASTERS with side brakes and precision bearings.



OPEN WELL DESIGN with a capacity for five 1/1 GN pans, providing enough space to serve a variety of menu items.

WELL DEPTH accommodates a maximum 6" deep pan.

ACCESSORIZE WITH CAMBRO DIVIDER BARS to maximize pan configurations.

NEED SHADE ?

carts come with 1.5" universal umbrella hole.



CPB1220 BUFFET CAMCHILLERS®, a cleaner and more manageable solution for ice. Use with 2½" or 4" deep pans.



WELL COVERS VBRWC to Create a staging area or work station.

W 13" x L 21"



Open well design provides versatility from a beverage bar to a snack bar.



OPEN WELL WITH DRAINAGE fill well with ice for a beverage cart. Draining is easy at both ends of well.



EASY BALL VALVE DRAIN RELEASE for easy cleaning.

3 STORAGE COMPARTMENTS with pull out shelves on each side to help manage over flow. 1 set of 2 ea. pull out shelves included with each CVC75 and CVC75B.

OPEN BASE STORAGE Fits Cambro's top loader EPP with a flip lid for easy access to overflow product kept at safe temperatures.

W 17¼" x H 17½"



EPP140 / EPP160 with EPPFLID Flip Lid

OPEN BASE STORAGE (Center)

can accommodate an insulated transport unit EPP300/ UPC300.

W 18¼" x H 21¾"



EPP300 Cam GoBox® front loader



UPC300 Front loader fit into the center storage.

Optional Configurations



CVC75 (Vendor's view) with Cam GoBoxes®



CVC75
base unit with safety barrier



CVC75B
base unit as beverage bar with one CVC75LET end table



CVC75 with CVC75LET, CVC75RET end tables.



CVC75 with CVC75DC6 6" merchandising display, CVC75LET and CVC75RET end tables.

Standard Wraps

Customers can submit their own design to create a custom wrap.



W10 - Blue



W11 - Red



W12 - Green



W13 - Carbon Fiber



W14 - Healthy Choices



W15 - Fruit and Veg

All CVC carts include a wrap. While the color codes above designate the wrap choice, the main body of the cart is only available in black.

Dimensions and Product Codes

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	FULL PAN SIZE CAPACITY
CVC75	Vending base unit with safety barrier	75" x 33½" x 53⅞"	5
CVC75B	Vending base unit only	75" x 33½" x 37⅞"	5
Optional Accessories*			
CVC75DC6	6" tall merchandising display	—	—
CVC75DC12	12" tall merchandising display	—	—
CVC75DCE6	6" tall merchandising display extender	—	—
CVC75DCE12	12" tall merchandising display extender	—	—
CVC75LET	16" left side end table	—	—
CVC75RET	16" right side end table	—	—
CVC75LSRL	Set of two adjustable lower cabinet shelves	—	—

Case Pack: 1 Color: Black (110). *All accessories only available in Black (110).



For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.



Telephone 714 848 1555 Toll Free 800 854 7631 Customer Service 800 833 3003
© Cambro Manufacturing Company 5801 Skylab Road, Huntington Beach, California 92647-2056
LIT2005 REV A Printed in USA 07/20