

DESIGN: The open wire design of these units enables inventory visibility, high-value product security, minimizes dust accumulation, prevents pilferage, allows free circulation of air and greater light penetration.

CONSTRUCTION: All welded wire shelves, posts, side and back panels are constructed of heavy-gauge carbon steel or Type 304 stainless steel. Side and back panels are manufactured of all-welded heavy-duty ¼" diameter wire on 2" x 2" centers.

CHOICE OF FINISHES:

- **Chrome** - is a plating process which deposits hard chrome OVER a copper, nickel surface. This process is VERY durable and allows product to be used in any application in a dry storage ENVIRONMENT. 1-year limited warranty to not rust or corrode when used in dry and non-humid ENVIRONMENTS.
- **Proform Green Epoxy** - are an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. 15-year limited warranty for antimicrobial finish to not rust or corrode.



QUICK, EASY ASSEMBLY: Posts have a double groove visual guide feature every 8", circular grooves at 1" increments, and are numbered at 1" intervals. Tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools. Shipped knocked down for freight cost efficiency.

ADJUSTABLE: Shelves can be adjusted at 1" intervals along length of the post. Intermediate shelving to be added on request or by using pre-configured kits.

WIRE TRUSSES: Architectural wire trusses increase shelf capacity.

TOP MAT WIRES: Run front to back to slide items easily off and on the shelf.

ADJUSTABLE FOOT: 3/8-16 leveling bolt compensate for irregular floor surfaces.

PANEL DOORS: Each door set has left and right panel with 4 hinge bars. Doors open to 270 degrees with locking mechanism.

ENCLOSURE PANEL SET: Panels are fabricated from all-welded wire and include joined back portion and two side portions.



Highest Quality, Lowest Price Guaranteed!


QUANTUM FOOD SERVICE

15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 TOLL-FREE: (888) 993-3370 FAX: (954) 369-2512
E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM

SHELVES & POST

- Load capacity (**evenly distributed**) per shelf

Widths: 24"
Lengths: 800 lbs. for 36" and 48"
600 lbs. for 60"



DIMENSIONS	SHIP WGT	CHROME	GREEN EPOXY
		MODEL NO.	MODEL NO.
24" W x 36" L	13 lbs	2436C	2436P
24" W x 48" L	16 lbs	2448C	2448P
24" W x 30" L	21 lbs	2460C	2460P

- All welded construction with additional wire trussing for high strength characteristics
- Topmat wires run front to back for ease of loading and unloading
- Numbered GROOVED posts on 1" increments for quick assembly
- Wire allows air to circulate and light to penetrate for increased product VISIBILITY
- Minimal dirt accumulation
- Adjustable foot LEVELERS
- No tools required for assembly
- Durable finishes
- Long term security storage solution.
- National Sanitation Foundation (NSF) APPROVED
- Shipped KD Class 70

- Plastic Split SLEEVES - are included with each shelf

Replacements are available:

Model No: **WR-SS** (4 Pairs)

Model No: **ESD-SS** (4 Pairs)



Split Sleeve



Aluminum Split Sleeve



Post Insert

Post Leveling Bolt



Fully Threaded Stud Connector

- All posts are fabricated from 16 gauge carbon steel with locating grooves on 1" increments and printed numbers between the grooves. Post also have doubled grooves every 8" for fast identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters.

DIMENSIONS	SHIP WGT	CHROME	GREEN EPOXY
		MODEL NO.	MODEL NO.
63" H	4 lbs	P63C	P63P

Highest Quality, Lowest Price Guaranteed!

QUANTUM FOOD SERVICE

15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 TOLL-FREE: (888) 993-3370 FAX: (954) 369-2512
E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM

UNITS

All Security Units come complete with 4 post, 2 or 4 shelves, 1 security panel door and 1 security panel set. Mobile units include 1 set of casters, 2 with brake (WR-00H).

Stationary Security Units (No intermediate shelves included)		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 63" H	165 lbs.	2436-63SEC	2436-63SECP
24" W x 48" L x 63" H	192 lbs.	2448-63SEC	2448-63SECP
24" W x 60" L x 63" H	224 lbs.	2460-63SEC	2460-63SECP

Mobile Security Units (No intermediate shelves included)		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 69" H	165 lbs.	M2436-69SEC	M2436-69SECP
24" W x 48" L x 69" H	192 lbs.	M2448-69SEC	M2448-69SECP
24" W x 60" L x 69" H	224 lbs.	M2460-69SEC	M2460-69SECP

Stationary Security Units (Two intermediate shelves included)		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 63" H	165 lbs.	2436-63SEC-2	2436-63SECP-2
24" W x 48" L x 63" H	192 lbs.	2448-63SEC-2	2448-63SECP-2
24" W x 60" L x 63" H	224 lbs.	2460-63SEC-2	2460-63SECP-2

Mobile Security Units (Two intermediate shelves included)		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 69" H	165 lbs.	M2436-69SEC-2	M2436-69SECP-2
24" W x 48" L x 69" H	192 lbs.	M2448-69SEC-2	M2448-69SECP-2
24" W x 60" L x 69" H	224 lbs.	M2460-69SEC-2	M2460-69SECP-2

Dolly Base Security Units (No intermediate shelves included)		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 70" H	186 lbs.	MD2436-70SEC	MD2436-70SECP
24" W x 48" L x 70" H	215 lbs.	MD2448-70SEC	MD2448-70SECP
24" W x 60" L x 70" H	250 lbs.	MD2460-70SEC	MD2460-70SECP

Want to secure an existing unit?



		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
36" L x 60" H	54 lbs	SD36C	SD36P
48" L x 60" H	66 lbs	SD48C	SD48P
60" L x 60" H	78 lbs	SD60C	SD60P

		CHROME	GREEN EPOXY
DIMENSIONS	SHIP WGT	MODEL NO.	MODEL NO.
24" W x 36" L x 60" H	70 lbs	243660EPC	243660EPP
24" W x 48" L x 60" H	80 lbs	244860EPC	244860EPP
24" W x 60" L x 60" H	90 lbs	246060EPC	246060EPP

Highest Quality, Lowest Price Guaranteed!

QUANTUM FOOD SERVICE

15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 TOLL-FREE: (888) 993-3370 FAX: (954) 369-2512

E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM