	BEVERAGE-AIR.
--	---------------

_	
MARKETMAX $^{ ext{ iny R}}$ DUAL TEMP BOTTOM MOUNT WINE REI	CDIACDATAC
MINDREIMINYM ININI IEMID RAITIAN MAINIMI MAINE DEI	
WARREIMAX~ IJJAL TEME DUTIUM WUJUNI WINE RE	

MMRR49HC Hinged Double Glass Door Hydrocarbon Series



3 Year Parts/Labor Warranty Additional 4 Year Compressor Warranty

CABINET CONSTRUCTION

- Exterior finish is heavy duty steel with a black baked on durable
- Heavy-duty interior construction includes white coated steel walls
- Modern one-piece grille
- Full electronic control
- Dual temp refrigerator/refrigerator units provide two different operating temperature zones for different types of products
- Double pane lowE argon filled glass door
- Self-closing door with 120° stay-open feature
- Snap-in gaskets, easy to remove for cleaning or replacement
- Door locks
- LED lighting
- Five (5) white heavy-duty epoxy coated wire shelves
- Four (4) shelf clips included per shelf
- · Self-contained bottom mount refrigeration system

OPTIONS & ACCESSORIES

- · Stainless steel or white exterior option
- · Black or stainless steel interior option
- · Wine rack upgrades: flat and curved (see page 3 for options)
- Additional shelves
- Stainless steel shelf clips
- White and red wine specific controllers 35°F-62°F (see page 3 for options)
- Casters 3" or 6"
- Electronic door lock (Must be ordered at time of unit order)
- Custom wine signage (see page 3 for options)
- Left and right hand door swing (at time of order)
- 6" Legs or 6" seismic leg
- Remote option* (see note on back page)

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290 refrigerant, and meets all regulatory requirements for CARB, SNAP, DOE & more
- Adaptive Defrost
- Epoxy coated evaporator coil
- Maintains product temperatures between 35°F to 62°F




















MODEL	MMRR49HC-1-A-BW-WINE	
EXTERNAL DIMENSIONAL DATA		
Width Overall	52"	
Depth Overall (with handle)	33 ⁵⁄8"	
Height Overall	78 ½"	
Number of Doors	2	
Depth with Door Open 90 ⁰	56 ½"	
Door Openings (in)	22 ¾" x 52 ¾"	
INTERNAL DIMENSIONAL DATA		
NET Capacity (cubic ft.) Refrigerator/ Refrigerator	R 21.01 - R 21.01	
Internal Width Overall (in)	R 23" - R 23"	
Internal Depth Overall (in)	27"	
Internal Height Usable (in)	53"	
ELECTRICAL DATA		
Full Load Amperes* Refrigerator/ Refrigerator	R 2.4 - R 2.4	
REFRIGERATION DATA		
Horsepower Refrigerator/ Refrigerator	R 1/4 - R 1/4	
Capacity (BTU/Hr)* Refrigerator/ Refrigerator	R 1702 - R 1702	
SHIPPING DATA		
Gross Weight (crated lbs)	700 lbs	
Height - Crated	85"	
Width - Crated	36"	
Depth - Crated	56"	

*NOTE: Remote units are field wired and come with 6" legs. Refrigerant must be specified at time of order.

Dual Temperature Bottom Mount Reach-In Glass Door Wine Refrigerator

Model: MMRR49HC-1-A-BW-WINE



*ELECTRICAL CONNECTION



115/60/1 Units pre-wired at factory and include 8'
(2) NEMA 5-15P long cord and plug set.





WINE OPTION UPGRADES

SIGNAGE

Two wine header panels to choose from to call attention to the wine selection




SHELVING

We offer curved and flat wine racks, designed to secure the bottles while keeping them prominently on display. Available in white, black, and chrome finish.









CONTROLLER

White and Red wine specific controllers available. Easily programmed to keep unit and its contents at the necessary set point (between 35-62° F)





Notes: